

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	365	((thermal heat) near2 (barrier insulat\$4) near2 layer) with (dielectric near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 03:14
L10	71609	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 03:14
L11	40	9 and 10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/12/19 03:14
S1	1	10/538333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:20
S2	42706	((first second) near2 dielectric near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:22
S3	2513	thermal near2 barrier near2 layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:22
S4	2594045	substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:22

S5	65756	refraction near2 index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:23
S6	277324	(polycarbonate PMMA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:23
S7	148054	SiO2 AL2O3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:23
S8	179204	ZNS SiO2 Si3N4 AL2O3 TA2O5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:24
S9	18088	(phase near2 change) with (GE IN SB TE)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:24
S10	0	S2 and S3 and S4 and (S5 same (S2 S4)) and S6 and S7 and S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:24
S11	210307	dielectric near2 layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:25
S12	0	S11 and S3 and S4 and (S5 same (S2 S4)) and S6 and S7 and S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:25

S13	0	S11 and S3 and S4 and (S5 same (S11 S4)) and S6 and S7 and S8 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:25
S14	258	S3 and S11 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:25
S15	11	S3 and S11 and S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:25
S16	0	EP near4 "0949613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:27
S17	2	"0949613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:28
S18	0	"0949613A"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:28
S19	0	EP near2 "0949613A"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:28
S20	25	"949613"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:28

S21	2	("6251492").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:30
S22	0	02-322745	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:55
S23	361	MORI YA near2 KOI CHI	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:55
S24	1	S8 and S23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 19:56
S25	137539	barrier near2 layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:00
S26	500	S25 same S4 same (refracti\$3 near2 index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:01
S27	3	S3 same S4 same (refracti\$3 near2 index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:01
S28	276254	(refracti\$3 near2 index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:01

S29	1	(S4 with S28) same (S3 with S28)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:02
S30	155	(S4 with S28) same (S25 with S28)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:02
S31	15	(S4 with S28) same (S25 with S28) same (equal similar)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:03
S32	60524	"369"/\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:31
S33	477	S2 and S9 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:31
S34	38446	((barrier insulat\$4) near2 layer) with (dielectric near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:43
S35	195	S32 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/29 20:43
S36	316215	"428"/\$ "369"/\$ "720"/ \$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59

S37	2687379	substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59
S38	143350	barrier near2 layer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59
S39	286131	(refracti\$3 near2 index)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59
S40	160	(S37 with S39) same (S38 with S39)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59
S41	36	S40 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 13:59
S42	587596	((barrier insulat\$4) near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:00
S43	123224	((record\$4 writ\$4) near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:01
S44	129610	((mirror reflect\$4) near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:01

S45	44663	((first second) near2 dielectric near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:01
S46	32	S42 same S45 same S43 same S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:01
S47	23	S36 and S46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:01
S48	2	("6551681").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:10
S49	2	"20020110063"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:10
S50	85692	((heat thermal) with (insulat\$4 barrier) near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:13
S51	57	S36 and S50 and S45 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/04 14:13
S52	5	((heat thermal) near2 (barrier insulat\$4) near2 layer) same (first near2 dielectric near2 layer) same (second near2 dielectric near2 layer) same ((mirror reflect \$4) near2 layer) same substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/31 15:45

S53	6	((heat thermal) near2 (barrier insulat\$4)) same (first near2 dielectric near2 layer) same (second near2 dielectric near2 layer) same ((mirror reflect \$4) near2 layer) same substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/31 16:12
S54	1	amorphous near2 reflection near2 minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 11:53
S55	2966	reflection near2 minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 11:53
S56	336988	"428"/\$ "369"/\$ "720"/ \$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 11:54
S57	303	S56 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 11:54
S58	48469	((first second) near2 dielectric near2 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:09
S59	15	S58 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:09

S60	61	((heat thermal) near2 (barrier insulat\$4) near2 layer) and (first near2 dielectric near2 layer) and (second near2 dielectric near2 layer) and ((mirror reflect\$4) near2 layer) and substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:09
S61	1	S55 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:17
S62	8964	reflect\$4 near2 minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:18
S63	1	S60 and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:18
S64	216	((heat thermal) near2 (barrier insulat\$4)) and (second near2 dielectric near2 layer) and ((mirror reflect\$4) near2 layer) and substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:19
S65	3	S62 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:19
S66	127	thickness with dielectric with reflect\$4 with minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:34
S67	30	S56 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/05 12:34

S68	127	thickness with dielectric with reflect\$4 with minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 09:50
S69	2865	wavelength same (refractive near2 index) same thickness same dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 09:52
S70	117	wavelength same (refractive near2 index) same thickness same dielectric same minimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 09:53
S71	71	wavelength same (refractive near2 index) same thickness same dielectric same minimum same reflect \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 09:53

12/ 19/ 2010 3:39:25 AM

H:\ EAST Searches\ 10538333.wsp